

Safety Data Sheet

Per GHS Standard Format

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: California Sports Systems "CPC Binders" No. 4125 & 4170

Recommended Use of Product: 4125 Used as "Tack Court" for running Track
4170 Used as Binder for running Tracks

Information on the Supplier of the Safety Data Sheet

Manufactured For:
California Products Corporation
150 Dascomb Road
Andover, MA 01810
P: 978-623-9980 F: 978-623-9960

Emergency Telephone Numbers:
CHEM TEL: (U.S.): 1-800-255-3924
(Outside the U.S.): 813-248-0585

SECTION 2: HAZARDS IDENTIFICATION

Signal Word: **WARNING**



GHS Label Statements

Hazard Statements
Can cause mild skin irritation
Can cause eye irritation

Classification

This product is considered hazardous by
The 2012 OSHA Hazard Communication
Standard (29 CFR 1910.1200)
Eye Irritation-C
Skin Irritation-Category 2

PRECAUTIONARY STATEMENTS

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection (eye protection, gloves) during application. When grinding/sanding dry films, wear respiratory protection.

Response: If on skin or hair, wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing. If in eyes, rinse cautiously for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If inhaled, remove victim to fresh air. If exposed or concerned, immediately call a poison control center.

Storage: Store locked up. Store in corrosive resistant/container with a resistant inner liner. Keep away from incompatibles. Store in well ventilated area. Store away from foodstuffs. Keep containers. Securely sealed and

protected against physical damage. Store away from sources of heat or ignition. Keep dry and protect from direct sunlight. Protect from freezing.

Extremely corrosive in presence of copper, brass and stainless steel. Highly corrosive in presence of aluminum. Mild corrosive effect on bronze. Corrosive to ferrous metals and alloys. Non-corrosive in presence of glass.

Disposal: Whatever cannot be saved for recovery or recycling should be disposed of according to relevant local, state and federal government regulations. Dispose container as hazardous waste.

SECTION 3: COMPOSITION INFORMATION ON INGREDIENTS

Ingredients:		
CAS 1336-21-6	Ammonium Hydroxide, ACS	<0.1%
CAS 7732-18-5	Water	45-60%
CAS confidential	Proprietary polymer	40-55%
CAS 50-0-00	Formaldehyde	<0.1%

SECTION 4: FIRST AID MEASURES

Description of first aid measures

After inhalation: Loosen clothing as necessary and position individual in a comfortable position. Move exposed to fresh air. Give artificial respiration if necessary. If breathing is difficult give oxygen. Seek medical assistance if cough or other symptoms appear.

After skin contact: Wash hands and exposed skin with soap and plenty of water. Seek medical attention if irritation persists or concerned.

After eye contact: Protect unexposed eye. Rinse or flush exposed eye gently using water for 15-20 minutes. Remove contact lenses while rinsing. Seek medical attention if irritation persists or if concerned.

After swallowing: Rinse mouth thoroughly. Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if irritation persists or if concerned.

Most important symptoms and effects, both acute and delayed :

Irritation, Headache, Nausea, Shortness of breath; 1336-21-6: Upper respiratory tract irritation, eye damage

Indication of any immediate medical attention and special treatment needed:

If seeking medical attention provide SDS document to physician. Physician should treat symptomatically

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents: Use water, dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam. **For safety reasons unsuitable extinguishing agents:** Special hazards arising from the substance or mixture: xThermal decomposition can lead to release of irritating gases and vapors.

Advice for firefighters:

Protective equipment: Wear protective eyewear, gloves, and clothing. Refer to Section 8. Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA).

Additional information (precautions): Avoid inhaling gases, fumes, dust, mist, vapor, and aerosols. Avoid contact with skin, eyes, and clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation. Ensure that air-handling systems are operational.

Environmental precautions:

Should not be released into environment. Prevent from reaching drains, sewer, or waterway.

Methods and material for containment and cleaning up:

Wear protective eyewear, gloves, and clothing. Refer to Section 8. Containerize for disposal. Refer to Section 13. If necessary use trained response staff or contractor. Evacuate personnel to safe areas. Keep in suitable closed containers for disposal. Absorb with suitable material.

Reference to other sections:

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling:

Avoid contact with skin, eyes, and clothing. Follow good hygiene procedures when handling chemical materials. Refer to Section 8. Follow proper disposal methods. Refer to Section 13. Do not eat, drink, smoke, or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Store in a cool location. Keep away from food and beverages. Protect from freezing and physical damage. Provide ventilation for containers. Keep container tightly sealed. Store away from incompatible materials.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION



50-00-0, Formaldehyde, C 0.300000 ppm USA., ACGIH
50-00-0, Formaldehyde, TWA 0.016000 ppm USA., NIOSH
1336-21-6, Ammonium hydroxide, ACGIH TLV: 17 mg/m³
1336-21-6, Ammonium hydroxide, OSHA PEL: 35 mg/m³
1336-21-6, Ammonium hydroxide, OSHA TWA 25 ppm
(1Bmg/m³) ST 35 ppm (27 mg/m³)
1336-21-6, Ammonium hydroxide, ACGIH TWA 25 ppm (18
mg/m³) ST 35 ppm

Appropriate Engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling. Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists

below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Respiratory protection:

Not required under normal conditions of use. Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. When necessary use NIOSH approved breathing equipment.

Protection of skin:

Select glove material impermeable and resistant to the substance. Select glove material based on rates of diffusion and degradation. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Use proper glove removal technique without touching outer surface. Avoid skin contact with used gloves. Wear protective clothing

Eye protection:

Wear equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166 (EU). Safety glasses or goggles are appropriate eye protection.

General hygienic measures:

Perform routine housekeeping. Wash hands before breaks and at the end of work. Avoid contact with skin, eyes, and clothing. Before wearing wash contaminated clothing. Do not eat, drink or smoke in work areas.

SECTION 9: PHYSICAL AND CHEMICAL MEASURES

Appearance (physical state, color):	Liquid. White, color when dry	Explosion limit lower: Explosion limit upper:	Not Determined
Odor:	Slight, sweet	Vapor pressure:	17 mm HG@ 20°(
Odor threshold:	Not Determined	Vapor density:	<1
pH-value:	6-9	Relative density:	Not Determined
Melting point/Freezing point:	Approx 0 °C	Solubilities:	Miscible
Boiling point/Boiling range:	100 °C at 17 mm Hg	Partition coefficient (n-octanol/water):	Not Determined
Flash point (closed cup):	Not Determined	Auto/Self-ignition temperature:	Not Determined

Evaporation rate:	Not Determined	Decomposition temperature:	> 177 °C
Flammability (solid, gaseous):	Not Determined	Viscosity :	a. Kinematic: Not Determined b. Dynamic: Not Determined
Density: 1.00-1.03 Recommended Storage Temperature: 1.0 °C - 49 °C			

SECTION 10: STABILITY AND REACTIVITY

Reactivity: Nonreactive under normal conditions.

Chemical stability: Stable under normal conditions

Possible hazardous reactions: None under normal processing.

Conditions to avoid: Incompatible materials.

Incompatible materials:

Hazardous decomposition products:

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity:		
Oral:	1336-21	Ammonium Hydroxide: LD50: 350 mg/kg (rat)
Oral:	50-00-0	Formaldehyde LD50: 100 mg/kg (rat)
Inhalation:	50-0-0	Formaldehyde LD50: 203 mg/kg
Chronic Toxicity:	No additional information.	
Chronic Toxicity:	No additional information. Corrosion	
Corrosion Irritation:		
Dermal:	Skin - Rabbit Result: Corrosive 3 Minutes to 1 hour of exposure-20h	50-00-0
Ocular:	Eyes-Rabbit results: Corrosive-7d	50-00-0

Sensitization:	50-00-0: Maximization Test (GPMT) Guinea pig result: causes sensitization. May cause allergic skin reaction
Single Target Organ (STOT):	50-00-0: Liver-Irregularities-Based on Human Evidence (Formaldehyde)
Numerical Measures:	No additional Information.
Carcinogenicity:	50-00-0: 1-Group 1: Carcinogenic to humans (Formaldehyde)
Mutagenicity:	50-00-0: Liver-Irregularities-based on human evidence (Formaldehyde)
Reproductive Toxicity:	No additional information.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity Persistence and degradability:

Bioaccumulative potential:

Mobility In soli:

Other adverse effects:

SECTION 13: DISPOSAL CONSIDERATIONS

Waste disposal recommendations:

Contact a licensed professional waste disposal service to dispose of this material. Dispose of empty containers as unused product. Product or containers must not be disposed with household garbage. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities (US40CFR262.11). Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations. Ensure complete and accurate classification.

SECTION 14: TRANSPORT INFORMATION

UN-Number

Not Regulated

UN proper shipping name

Not Regulated

Transport hazard class(es) Packing group: Not Regulated Environmental hazard: Transport in bulk:

Special precautions for user:

SECTION 15: REGULATORY INFORMATION

United States (USA)

SARA Section 311/312 (Specific toxic chemical listings):

Acute

SARA Section 313 (Specific toxic chemical listings):

1336-21-6 Ammonium hydroxide

RCRA (hazardous waste code):

None of the ingredients is listed

TSCA (Toxic Substances Control Act):

All ingredients are listed.

CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act):

1336-21-6 Ammonium Hydroxide

Proposition 65 (California):

Chemicals known to cause cancer:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity females:

None of the ingredients is listed

Chemicals known to cause reproductive toxicity formales:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

None of the ingredients is listed

Canada

Canadian Domestic Substances List (DSL):

All ingredients are listed.

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

None of the ingredients is listed

Canadian NPRI Ingredient Disclosure list (limit 1%):

1336-21-6 Ammonium hydroxide

Canadian NPRI Ingredient Disclosure list (limit 0.1%):

50-00-0 Formaldehyde

SECTION 16: OTHER INFORMATION

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Note: The responsibility to provide a safe workplace remains with the user. The user should consider the health hazards and safety information contained herein as a guide and should take those precautions required in an individual operation to instruct employees and develop work practice procedures for a safe work environment. The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by the use of this material. It is the responsibility of the user to comply with all applicable laws and regulations applicable to this material.

Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods PNEC: Predicted No-Effect Concentration (REACH)

CFR: Code of Federal Regulations (USA)

SARA: Superfund Amendments and Reauthorization Act (USA) RCRA: Resource Conservation and Recovery Act(USA)

TSCA: Toxic Substances Control Ad (USA)

NPRI: National Pollutant Release Inventory (Canada) DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH)

